

Produktblatt

Douglasie

Balken sägerau (RGH2)

63x300mm [↗](#)

X 300mm ±3%

Y 63mm ±3%



Douglas

Douglas is a type of wood that originates from North America, but also grows and is cultivated in Europe. It is one of the most useful types of wood found in Europe. It is fast growing and easy to work. Douglas can be used in various outdoor projects and is affordable compared to other types of wood.

Douglas is a type of wood that is ideal for garden fencing or roofs and as wall cladding for a home or roof. The wood is naturally very strong and is therefore sold untreated. In contrast to impregnated spruce, Douglas is not treated, but it falls into the same durability class. This type of wood is therefore also seen as a more environmentally friendly alternative to garden wood.

The wood has a yellow to pink color and has broad annual rings of 5 to 10 millimeters. The small, scattered resin channels are barely visible in the fine-growing material and contain resin. This gives the fresh wood its characteristic scent.

Advantages

- Beautiful drawing and natural appearance
- Naturally strong
 - < li>excellent durability provided no direct ground contact
- Long lengths available
- Straight and stable

[specie] rough-sawn beam or post

Rough wood is wood that is sawn from the trunk. It is also referred to as rough-sawn or rough-cut beams. Rough-sawn beams or posts may have variations in thickness and width. It is advisable to choose planed wood if the application requires a fixed size.

- Rough-sawn (rough-cut) wood comes directly from our sawmill. As a result, there may be painted marking signs on the wood.
- Rule of thumb: For cantilever span, maintain approximately 5 cm thickness per meter span. This rule also suggests that a beam of 50x150mm can span freely up to 300cm in the longitudinal direction, but in the transverse direction, it should be fixed every 100cm to prevent wood deformation. A structural engineer can provide further assistance with this.

Nachhaltigkeit:

Dieses Produkt entspricht der europäischen Holzverordnung – 995/2010. Diese europäische Verordnung verbietet die Vermarktung von illegal geschlagenem Holz. Die Verantwortlichen, die das Produkt erstmals auf dem europäischen Markt in Verkehr bringen, haben die Sorgfaltspflicht



Generiert 13-03-2025

Produkt anzeigen

nachzuweisen, dass das Produkt nicht illegal geerntet oder gehandelt wurde.

Humidity

The [specie] labeled as AD (Air Dried) has been freshly sawn and is stacked in a semi-open storage space. As the [specie] remains in storage for a longer duration, the wood becomes drier. The drying process occurs from the outer side toward the core. Due to this drying process, the wood contracts, resulting in characteristic drying cracks. It is typical for the [specie] to shrink when applied in a 'dry' state. Particularly with smaller dimensions at the ends, there is also a higher likelihood of deformation. AD [specie] is not suitable for gluing or applications that require permanent dimensional stability.

S/F Sortering

Dit product is S/F gesorteerd. Dit betekent een zaag vallende sortering waarbij de laagste klasse (sexta) uit gesorteerd is. Deze sortering is de meest gebruikelijke voor Europees naaldhout.

- Bij schaaferk behoudt de productie zich het recht voor om maximaal 3-4% van de kopmaat af te wijken, om een mooi, recht en maatvast product te kunnen schaven. De planken worden gesorteerd op één zijde; de achterzijde kan Hit&Mis, schaaferfoutjes en/of walsafdrukken bevatten.
- Wij leveren het hout op handelslengte. Dat betekent: niet haaks gezaagd en niet op lengte afgekort, vaak met wat overlengte.
- Aan de kopse kanten kunnen droogtescheurtjes voorkomen. Houd bij het berekenen van de lengte altijd rekening met minimaal 10 cm zaagverlies extra.
- Een correcte montage is van groot belang. Goede ventilatie, voldoende regelwerk en de juiste bevestiging zijn daarbij vereist. Bij elk product is een montagehandleiding in pdf-formaat beschikbaar.

Externe invloeden, zoals transport, opslag, weersomstandigheden en houtbewerking, kunnen de kenmerkende spanningen/ defecten in het hout blootleggen. Gezien de sortering en de externe invloeden adviseren we om 10% extra te bestellen. Bestel bij minder dan 10 stuks ten minste 1 stuk extra.

